



ANSI  
S3.19

NRR  
22  
dB

- Flexible band with conical self-adjusting foam shape fits all size ear canals
- Round ear caps are comfortable for long time wearing comfort
- Each pair individually wrapped, 1 set of replacement buds are included
- Noise reduction rating (NRR): 22 dB

 **WARNING:** Cancer & Reproductive Harm  
- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## TECHNICAL INFORMATION

<b>International Standards</b>	ANSI S3.19
<b>Color</b>	Orange and Black
<b>Sizes Available</b>	One Size
<b>Materials</b>	Polyurethane Foam
<b>Hearing Style</b>	Banded
<b>dB</b>	22
<b>Packaging</b>	1 pair / polybag
<b>Packed</b>	40 polybags / box 20 boxes / case
<b>Applications</b>	Manufacturing
<b>Registration Number</b>	78713
<b>Country of Origin</b>	Taiwan
<b>Harmonization Code</b>	3926.90.9980

## INFORMATION REQUIRED BY EPA:

The level of noise entering a person's ear, when a hearing protector is worn as directed, is closely approximated by the difference between the A-weighted environmental noise level and the NRR.

### Example:

1. The environmental noise level as measured at the ear is 92 dBA.
2. The NRR is 33 decibels (dB).
3. The level of noise entering the ear is approximately equal to [92 dB (A) -33] 59 dB (A).

**CAUTION:** For noise environments dominated by frequencies below 500 Hz the C-weighted environmental noise level should be used. Improper fit of this device will reduce its effectiveness in attenuating noise. Consult the enclosed instructions for proper fit. Although hearing protectors can be recommended for protection against the harmful effects of impulsive noise, the Noise Reduction Rating (NRR) is based on the attenuation of continuous noise and may not be an accurate indicator of the protection attainable against impulsive noise such as gunfire.